

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Setauket Harbor							
26190	- Narrows Channel Buoy CN13	40 57 30 N 73 05 24 W				Green can.	Private aid.
	*						* 15/02
*Add Heading: *Shelter Island Sound South Channel							
*26191	- Narrows Channel Buoy CN14					Red nun.	Private aid.
							15/02
*Add Headings: *Port Jefferson Harbor *Setauket Harbor							
*26192	- Buoy S					Red over green.	Private aid.
							15/02
*26193	- Buoy S1					Green can.	Private aid.
							15/02
*26194	- Bouy S2					Red nun.	Private aid.
							15/02
26195	- Buoy S3					Green can.	Private aid.
	*						* 15/02
*26196	- Buoy S4					Red nun.	Private aid.
							15/02
*26197	- Buoy S5					Green can.	Private aid.
							15/02
*26198	- Buoy S6					Red nun.	Private aid.
							15/02
*26199	- Buoy S7					Private aid.	Green can.
							15/02
26200	- Buoy S8					Red nun.	Private aid.
	*					*	* 15/02
*26201	- Buoy S9					Green can.	Private aid.
							15/02
*26202	- Buoy S10					Red nun.	Private aid.
							15/02
*Add Heading: *Belle Terre							
*26203	- Channel Buoy BT2					Red nun.	Private aid.
							15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*26204	- Channel Buoy BT4				Red nun.		Private aid.
							15/02
	*Change Headings and Delete Note: LONG ISLAND SOUND (Western Part) (Chart 12363) *Port Jefferson Harbor *Belle Terre <i>*Private aids maintained from May 1 to Nov. 1 unless otherwise noted.</i>						
26205	- Channel Buoy BT6	40 56 18 N 73 09 48 W			4 Red nun.		Private aid.
	*		*			*	* 15/02
*26206	- Channel Buoy BT8				Red nun.		Private aid.
							15/02
*26207	- Channel Buoy BT10				Red nun.		Private aid.
							15/02
	*Add Headings: *Smithtown Bay *Stony Brook Harbor						
*26208	- Entrance Lighted Buoy 1	40 56 18 N 73 09 48 W	FI G 4s		4 Green.		Remove when endangered by ice.
							15/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8120	SEVENFOOT KNOLL LIGHT	39 09 19 N 76 24 33 W	FI W 6s (R sector)	58	W 9 R 7	On skeleton tower.	Red from 134° to 344°.
		*					15/02
18445	- Lighted Buoy 8		FI R 1s		Red.		Private aid.
	*		*			*	15/02
	*Add Heading: *Little Hunting Creek Northern Extension						
*18511.1	- Buoy 1A	38 42 24 N 77 03 38 W			Green can.		Private aid.
							15/02
*18511.2	- Buoy 2A				Red nun.		Private aid.
							15/02
*18511.3	- Buoy 3A				Green can.		Private aid.
							15/02
*18511.4	- Buoy 4A				Red nun.		Private aid.
							15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*18511.5	- Buoy 5A					Green can.	Private aid. 15/02
*18511.6	- Buoy 6A					Red nun.	Private aid. 15/02
*18511.7	- Lighted Buoy 7A		FI G 4s			Green.	Private aid. 15/02
Lake Ogleton Entrance							
19815	- LIGHT 1L	38 57 08 N 76 27 28 W	FI G 4s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
		*					
19945	- LIGHT 2	39 00 15 N 76 29 42 W	FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
		*			*		
19950	- LIGHT 2A	39 01 08 N 76 31 12 W	Q R	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
		*					
19965	- LIGHT 6	39 02 07 N 76 32 10 W	FI R 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
		*					
20100	- LIGHT 3 On point of shoal off Persimmon Point.		FI G 4s	18	4	SG on multi-pile structure.	
				*		*	15/02
20185	- LIGHT 9		FI G 4s	15	4	SG on pile.	
				*			15/02
20200	- LIGHT 10		FI R 4s	15	4	TR on pile.	
				*			15/02
22515	- Buoy 3	37 57 26 N 75 42 48 W				Green can.	
		*					15/02
22570	- CHANNEL LIGHT 15	37 58 01 N 75 40 41 W	FI G 2.5s	15	3	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
		*				*	
22590	- CHANNEL LIGHT 20	37 57 36 N 75 39 48 W	FI R 4s	15	3	TR on multi-pile structure.	
						*	15/02
22600	- CHANNEL LIGHT 23		FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15. 15/02
				*		*	

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SMITH POINT TO COVE POINT (Chart 12230)							
Pocomoke River							
Upper Pocomoke River							
22605	- LIGHT 2	38 08 01 N 75 25 59 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*				*	15/02
22625	- LIGHT 6		FI R 4s	15	3	TR on multi-pile structure.	
						*	15/02
22640	- LIGHT 10		FI R 2.5s	15	3	TR on multi-pile structure.	
						*	15/02
22645	- LIGHT 11		FI G 4s	15	4	SG on multi-pile structure.	
						*	15/02
22650	- LIGHT 12		FI R 4s	15	3	TR on multi-pile structure.	
						*	15/02
22660	- LIGHT 14	38 10 18 N 75 24 35 W	FI R 4s	15	3	TR on multi-pile structure.	
		*				*	15/02
POCOMOKE AND TANGIER SOUNDS (Chart 12228)							
Pocomoke Sound							
Broad Creek							
22665	- SOUTH ENTRANCE LIGHT 2	37 55 00 N 75 50 44 W	FI R 2.5s	15	4	TR on multi-pile structure.	
		*		*		*	15/02
22700	- Channel Daybeacon 13	37 56 19 N 75 51 29 W				SG on pile.	
		*					15/02
22735	- LIGHT 4	37 49 56 N 75 59 55 W	FI R 4s	15	3	TR on pile.	
		*		*	*		15/02
Tangier Island East Channel							
22740	- LIGHT 1	37 50 24 N 75 58 16 W	FI G 2.5s	15	4	SG on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Maintained from Sept. 15 to June 1.
		*				*	15/02
22825	- LIGHT 2		Q R	19	4	TR on multi-pile structure.	Higher intensity beam down channel.
						*	*
							15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22840	- LIGHT 7	37 58 00 N 75 52 39 W	FI G 4s	40	4	SG on skeleton tower on piles.	Obscured from 112° to 202°.
		*			*		15/02
22850	BROAD CREEK NORTH ENTRANCE LIGHT 1	37 57 10 N 75 51 56 W	FI G 2.5s	16	3	SG on pile.	
		*			*		15/02
Little Annemessex River							
22890	- CHANNEL LIGHT 10		FI R 4s	18	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
					*		15/02
22905	CRISFIELD HARBOR JUNCTION LIGHT CH	37 59 00 N 75 51 49 W	FI (2+1) R 6s	15	4	JR on pile.	
		*		*			15/02
22920	Brick Kiln Channel Daybeacon 2	37 59 30 N 75 51 37 W				TR on pile.	
		*					15/02
Big Thorofare							
23015	- CHANNEL LIGHT 1	37 58 24 N 75 58 47 W	FI G 2.5s	14	5	SG on multi-pile structure.	Higher intensity beam toward Little Annemessex River. HORN: 1 blast ev 30s (3s bl). Operates continuously from Sept. 15 to June 1.
		*				*	15/02
Tyler Creek							
23125	- Channel Daybeacon 1	37 59 27 N 76 01 03 W				SG on pile.	Ra ref.
		*					15/02
Knapps Narrows							
25920	- WEST CHANNEL LIGHT 1	38 43 17 N 76 20 46 W	FI G 4s	15	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			15/02
27130	SUE ISLAND ENTRANCE LIGHT 1	39 17 42 N 76 23 53 W	FI G 2.5s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*		*			15/02
30185	- Lighted Buoy 8		Q R		3	Red.	
			*				15/02
Cape Fear River							
30561.1	-WARNING LIGHT A		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Cape Fear River							
30561.2	-WARNING LIGHT B		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained
	*		*	*			* 15/02
30561.3	-WARNING LIGHT C		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.4	-WARNING LIGHT D		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.5	-WARNING LIGHT E		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.6	-WARNING LIGHT F		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.7	-WARNING LIGHT G		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.8	-WARNING LIGHT H		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.9	-WARNING LIGHT I		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.1	-WARNING LIGHT J		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.2	-WARNING LIGHT K		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.3	-WARNING LIGHT L		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30562.4	-WARNING LIGHT M		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.5	WARNING LIGHT N		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.6	-WARNING LIGHT O		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
*31020	- Buoy 3					Green can.	
							15/02
31035	- Buoy 7						<i>Remove from list.</i>
							* 15/02
*31047	- Buoy 12					Red nun.	
							15/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1620 29755	CEDAR KEYS MAIN CHANNEL LIGHT 1	29 04 00 N 83 04 33 W	FI G 4s	16	4	SG on pile.	
		*		*			15/02
	St. Helena Sound						
3955	- Entrance Buoy 1	32 21 40 N 80 18 27 W				Green can.	
		*					15/02
22710	- RANGE FRONT LIGHT	27 40 36 N 82 34 06 W	Q W	15		On piles.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
						*	* 15/02
22715	- RANGE REAR LIGHT 1,625 yards, 213.5° from front light.		Iso W 6s	51		On skeleton structure on piles.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
						*	* 15/02
	Cedar Keys Main Channel						
29755 1620	- LIGHT 1	29 04 00 N 83 04 33 W	FI G 4s	16	4	SG on pile.	
		*		*			15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*29760.5	- Daybeacon 4					TR on pile.	15/02
Buttermilk Sound							
36955	- LIGHT 213	31 19 14 N 81 22 18 W	FI G 2.5s	16	3	SG-SY on pile.	15/02
		*					

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
455 12690	Southwest Pass Entrance Light	28 54 18 N 89 25 42 W	FI W 10s	85	21	Tower on white dwelling on piles.	RACON: K (— • —). Emergency light of reduced intensity: FI W 10s. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
					*		15/02
	*Add Heading: *Eastern Branch						
*3145.1	- Entrance Buoy 7					Green can.	15/02
*3145.2	Entrance Buoy 8					Red nun.	15/02
	*Change Headings to Read: *Port St. Joe North Channel *Windmark Beach						
*3146	-East Channel Daybeacon 1	29 50 44 N 85 20 04 W				SG on pile.	Private aid. 15/02
6300	- Lighted Buoy 19		FI G 4s		3	Green	Ra ref.
	*			*	*	*	15/02
6305	- Lighted Buoy 20		FI R 4s		3	Red.	Ra ref.
	*			*		*	15/02
*8742	PORT AUTHORITY DOLPHIN LIGHT	30 21 51 N 89 05 12 W	FI R 6s			On dolphin.	Private aid. 15/02
10990	- LIGHT 97	29 50 47 N 89 38 45 W	FI G 2.5s	17	4	SG on dolphin.	Ra ref.
						*	* 15/02
12690 455	- Entrance Light	28 54 18 N 89 25 42 W	FI W 10s	85	21	Tower on white dwelling on piles.	RACON: K (— • —). Emergency light of reduced intensity: FI W 10s. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
					*		15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35395	- RANGE B FRONT LIGHT	29 08 36 N 95 09 45 W	Q W	15		KRW-I on tower.	For westbound traffic. Visible all around; higher intensity on rangeline.
		*				*	15/02
35400	- RANGE B REAR LIGHT 700 yards, 235.3° from front light.		Iso W 6s	35		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
	*						15/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15850	- REACH RANGE H FRONT LIGHT	46 57 35 N 123 49 24 W	Q R	15		KRB on pile structure.	Visible 1.5° each side of rangeline.
		*					15/02
15860	- REACH RANGE J FRONT LIGHT	46 57 52 N 123 49 03 W	Q G	16		KRB on pile structure.	Visible all around; higher intensity on rangeline.
		*					15/02
	Aberdeen						
15870	- REACH RANGE K FRONT LIGHT	46 57 24 N 123 50 17 W	Q W	15		KRB on pile. On same structure as Cow Point Reach Range G Front Light.	Visible all around; higher intensity on rangeline.
		*					15/02
*25823	Valdez Security Zone Buoy A	61 06 30 N 146 26 20 W	FI Y 4s		5	Yellow pillar.	Port of Valdez security zone.
							15/02
*25824	Valdez Security Zone Buoy B	61 06 30 N 146 21 15 W	FL Y 4s		5	Yellow pillar.	Port of Valdez security zone.
							15/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.